




Discover your path to

WELLNESS NUTRITION EXERCISE




Created for: [REDACTED]

Date Generated: [REDACTED]

Carb Choice Kit ID: [REDACTED]

**Part of
Your
Genetic
Roadmap
to
Optimum
Health**



Disclaimer and Limitations

The information in this report reflects research to date on the relevance of Copy Number Variation (CNV) in the AMY1 gene. Genetic research is rapidly advancing, and our understanding of AMY1 CNV will continue to grow, so the content of future reports may differ from this one.

This product is intended for Research Use Only. It is not for use in diagnostic procedures. The data generated is not intended to be used for the diagnosis, prevention, or treatment of a disease or condition. No clinical or medical decisions should be made based on the results provided unless otherwise indicated by a properly trained professional.

Research has indicated a correlation between AMY1 copy number variation (represented here as your “CarbChoice® number”) and the production of salivary amylase and, hence, the ability to break down starchy carbohydrates.

This report therefore outlines the potential impact of CarbChoice® number on general health and fitness and provides intervention suggestions for consideration. However, many factors influence optimal weight, physical and athletic performance, including lifestyle, environmental, and additional genetic effects, which are not included in this report.

People with special dietary considerations or health conditions, such as allergies or intolerances, should seek advice from a qualified health practitioner before undertaking this test.

Additional disclaimers and references are listed at the end of the report.



Congratulations on making the choice to improve your health and wellbeing!

Your CarbChoice® Advanced report is designed to guide you on your journey toward better long-term health and well-being. You can use this information to prepare a personalized diet, exercise, and wellness plan that supports your individual needs for making the right choices around starchy carbohydrates.

Starch is a type of carbohydrate, specifically a complex carbohydrate known as a polysaccharide. Starch is made of long chains of glucose that are the major storage carbohydrates in plants and a primary source of dietary carbohydrates for humans.

All starches are carbohydrates, but not all carbohydrates are starches. Other types of carbohydrates include fiber and simple sugars, such as fructose.

This report focuses on the gene (AMY1) that encodes the enzyme amylase. The amylase enzyme breaks down starches in saliva into simpler sugars. Amylase is a critical step in the initial breakdown of starch before it reaches the small intestine for absorption. The number of AMY1 gene copies varies among individuals and populations, with more copies associated with higher salivary amylase levels and improved starch digestion, especially in populations with higher-starch diets.

What you will learn from your CarbChoice® profile:

- Your potential genetic predisposition to process starch carbohydrates (indicating how many starchy carbs may be suitable for you).
- Foods to avoid or minimize to support your weight management goals and nutritional needs.
- Foods to increase your amylase enzyme levels to improve the breakdown of starchy carbohydrates.
- Foods and ingredients that can support optimal carbohydrate digestion.



Your CarbChoice® Advanced: AMY1 Gene



What Was Tested

- The AMY1 gene controls amylase, an enzyme in your saliva, that breaks down carbs. You can have between 1 to 20 copies of this gene.
- Amylase acts like scissors in your saliva, snipping big starches (bread, rice, potatoes) into smaller sugar pieces your body can use for energy.
- Not everyone has the same number of AMY1 genes. Some people have fewer, and some have more. The more copies of the AMY gene you have, the more amylase you have to break down starch.




Why Does It Matter

- When you eat starchy foods like bread or pasta, your body needs amylase to break them down for energy. Low amylase can leave starch partially undigested, which may increase inflammation and cause your body to store more fat.
- Over time, this may increase your body mass index (BMI) and risk for obesity. Your CarbChoice® score shows how much amylase you likely make, helping you manage weight and inflammation.

How Does This Apply?

Analogy 1: "The # of Carb Scissors"

✂ vs. ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂




Think of your CarbChoice® number as the number of scissors your body has to cut up carbs. The more scissors you have, the more carbs get cut up and broken down. Your CarbChoice® number can range from 1 to 20, meaning you can have from 1 to 20 'scissors' to cut up carbs.

Analogy 2: "The # of Cannons Lining a Fort"



Fort = Your gut

Imagine your gut is a fort and your CarbChoice® number is the number of cannons shooting down approaching carbs. The more cannons you have, the easier it is to shoot down those carbs.



of cannons = your CarbChoice®

Someone with a CarbChoice® number 2 (just 2 cannons) can't 'shoot down' as many carbs as someone with a CarbChoice® #10 (they have 10 cannons).

Your CarbChoice® number can have between 1 to 20 copies, or 'cannons'.

Certain lifestyle and dietary choices increase or decrease the 'firing rate' of your 'cannons'.

Your Game Plan



Change Starts Here:

1. **Know Your Number** – Start with your CarbChoice® score
2. **Use the Finger Rule** – Match your score to portion size
3. **Choose Smart Carbs** – Pick high-fiber, nutrient-rich options
4. **Boost Amylase** – Support your body's starch breakdown
5. **Live the Lifestyle** – Exercise, stress control, & healthy habits
6. **Supportive Supplements** – For digestion, blood sugar control

Quick Fixes: To temporarily increase your ability to digest carbs

Carb tolerance is fixed, yet flexible. Certain habits can increase or decrease the “firing rate” of your “carb cannons”.

Here are 5 lifestyle habits that temporarily boost your “firing rate”.

- **Option 1: Chew More.** Take 3 full breaths while eating to naturally reach about 30 chews without needing to count to 30.
- **Option 2: Eat Greens First.** Start your meal with salad, bitter greens, or veggies before carbs (e.g., eat your salad before other starches).
- **Option 3: Time Your Exercise.** Work out within 2 hours before your highest-carb meal to boost amylase (up to 500%). Some athletes may need extra carbs—use common sense and consult your practitioner.
- **Option 4: Balance Amylase Foods.** Eat amylase-suppressing foods (like berries) separately from meals, and pair amylase-producing foods (like citrus) with carbs to aid digestion.
- **Option 5: Savor your food.** Enjoying the taste and smell of your food engages the brain to release more digestive enzymes, including amylase.



Your Results



CarbChoice®



Here is your CarbChoice® result, indicating that you are a Low Range Starch Carbohydrate processor.

Classified in this CarbChoice® report as the population group most likely to have poor capacity to process starchy carbohydrates.

Your lower processing capacity means:

- You may not produce as much of the enzyme in your saliva needed to break down the starch found in carbohydrates.
- You may have reduced tolerance of high-starch diets.
- You may be at a higher risk of, and predisposition to, obesity.
 - That is, you may be at increased risk of obesity compared to individuals with a higher processing result.
- You may have an increased risk of metabolic abnormalities which occur when the normal process of metabolism is or becomes disrupted.
 - You may have reduced glycemic control resulting in decreased glucose or blood sugar control.
 - You may be at higher risk of insulin resistance and diabetes if you are consuming a high starch carbohydrate diet.

Dietary Recommendations

Your low starch carbohydrate processing capacity means you should aim to avoid refined and processed starchy carbohydrates in your everyday diet.


Trial a low-carbohydrate diet providing less than 26% (Oh et al. 2023) of overall daily energy intake (less than 130g per day) is made up of low starch options.

Lifestyle Recommendations

Consider moderate to high-intensity physical activity.

Before starting this type of exercise, you should discuss it with your fitness or health practitioner, especially if you have any medical conditions or injuries.

Additional ways to understand your results

Your CarbChoice® #: 



Low Carb Capacity (#1 is ~Keto style, #2-4 is ~Paleo style)

Low processors of starches should limit starches and choose higher-fiber carbs, since excess starch raises risk of obesity, insulin resistance, and diabetes



Moderate Carb Capacity (~Mediterranean style diet)

Moderate processors of starches can handle more starches (like grains), though excess starch still raises risk of weight issues.



High Carb Capacity (~Higher Carb style diet)

High processors of starches can tolerate more starches (like grains) with less impact on weight or insulin, and face lower obesity risk.

Your CarbChoice® number indicates the maximum portion of starchy carbs (like bread, rice, or pasta) you could eat at one meal. You are not obligated to eat this many carbs per meal.



The 'finger rule' is an approximate guide to help you find your optimal carb intake when counting grams at a meal isn't practical. In short, your CarbChoice® number is the approximate maximum number of finger-sized portions of high-carb foods you can have per meal.

The 'finger rule' is a guide because finger size is usually proportional to body size. The 'finger rule' adjusts carb portions to better fit you, whether you're tall, short, big, or small.

For example, if your score is 8, you can have about 8 finger-sized portions of starchy carbs. Someone who is 6'5" will have different-sized fingers than someone who is 5'0", yet both can have a score of 8.

For lower-carb foods, you can have about twice your CarbChoice® number, up to a max of 10 fingers or one fist-sized portion. This guideline helps you match your carb intake to your body, making weight management and energy control much simpler.

Note: Your starch needs and portion requirements are also influenced by activity, age, health, glycemic index/load, fiber, meal timing, and body composition. Work with your practitioner to optimize your carb intake.



Sample Meal Plan



Research shows that to reduce your glycemic response to starch, the following cooking methods are recommended; this is important for high starch foods (Lovegrove et al. 2017). Enjoy consuming raw foods where possible or choose steamed or stir fried where cooking is required




Food Preparation Methods



RAW STEAMED STIR FRY



These Food Preparation Methods



BOILING BAKING FRYING MICROWAVING



It's worth noting that the resistant starch content of potatoes and rice is increased when they are cooked and cooled before eating.



Note: These dietary styles are approximate guidelines based on your Carbchoice® number, not absolutes. Work with your practitioner to further personalize your diet.

Keto Style Diet

More suited for CarbChoice® 1

A keto-style diet is a way of eating where you keep carbs very low so your body switches to burning fat for energy instead of sugar. When carbs are low, your body makes “ketones”, which act like a clean, steady fuel source. Many people use this approach to help with energy, focus, and managing weight.



Get started!

Keto Diet
7-DAY
RECIPE GUIDE



Click Image for the Sample Recipe Guide

Paleo Style Diet

More suited for CarbChoices® 2-4

A paleo-style diet focuses on eating foods our bodies were designed for long ago — vegetables, fruits, nuts, seeds, and animal proteins. It avoids processed foods, grains, and dairy, aiming for more natural, whole ingredients. Many people choose paleo because it can support steady energy, clearer digestion, and overall health.



Get started!

Paleo Diet
7-DAY
RECIPE GUIDE



Click Image for the Sample Recipe Guide

Mediterranean Style Diet

More suited for CarbChoice® 5-8

A Mediterranean-style diet is based on the traditional foods eaten in countries near the Mediterranean Sea, like Greece and Italy. It centers on vegetables, fruits, whole grains, beans, olive oil, and lean proteins like fish. Many people choose it because it has variety, balance, convenient, and easier for social events.



Get started!

Mediterranean Diet
7-DAY
RECIPE GUIDE



Click Image for the Sample Recipe Guide

Higher-Carb Style Diet

More suited for CarbChoice® 9+

A higher-carb-style diet focuses on a large part of your energy coming from carbohydrates like fruits, whole grains, beans, and starchy vegetables. Protein and fats are still included, just in smaller amounts. Many people choose this style because it can support active lifestyles, steady energy, and quicker recovery for those who exercise a lot.



Get started!

**High Carb/
Low Fat Diet**
7-DAY
RECIPE GUIDE



Click Image for the Sample Recipe Guide

Special note: A general upper limit to the amount of carbs per meal is about 10 fingers' worth, or the size of your fist, because your fist is approximately the size of your stomach. Even if your CarbChoice® number is over 10, it's best to stay around 10 fingers' worth, or 1 fist, as the approximate upper limit per meal.

However, special considerations should be taken for athletes in heavy training, who may require more carbs. There may be other circumstances that would require more carbs. Please work with your practitioner.



*Post this in Your Kitchen

Higher Carb/Higher Starch

(Finger rule x1, ~max of 10*)

Whole Grains

- Oats
- Quinoa
- Brown rice
- Wild rice
- Barley
- Rye

Vegetables

- Sweet potatoes
- White potatoes
- Plantains
- Winter squash
- Corn

Fruits & Roots

- Pineapple
- Beets
- Mango
- Oranges
- Peas
- Dried fruit

Higher Carb Fruits

- Ripe bananas
- Sweet apples (Gala)
- Grapes
- Pears
- Prunes
- Jackfruit

Lower Carb/Lower Starch

(Finger Rule x2, ~max of 10*)

Fruits

- Green apples
- Blueberry
- Coconut flesh

Vegetables

- Butter (lima) beans
- Endive
- Green peas
- Squash
- Swede/Rutabaga
- Carrots

Nuts & Seeds

- Almond meal
- Brazil nuts
- Mixed nuts
- Pumpkin seeds
- Pecan nuts
- Walnuts

Roots & Extras

- Fresh ginger
- Galangal
- Legumes

Little to No Starch

Think Fiber

Leafy Greens

- Spinach
- Kale
- Romaine lettuce
- Arugula
- Swiss chard

Crunchy Veggies

- Cucumbers
- Celery
- Radishes
- Green peppers

Cruciferous

- Broccoli/Broccolini
- Cauliflower
- Brussels sprouts

Other

- Zucchini
- Asparagus
- Mushrooms


Resistant

Not fully digestible, think Nutrients for Gut Health
These foods also contain starchy carbs as well.

- Green Banana
- Chickpeas
- Rye bread
- Barley

***Special note:** A general upper limit to the amount of carbs per meal is about 10 fingers' worth, or roughly the size of your fist, because your fist is approximately the size of your stomach. Even if your CarbChoice® number is over 10, it's best to stay around 10 fingers' worth, or roughly the size of 1 fist, as the approximate upper limit per meal. However, special considerations should be made for athletes in heavy training, who may require more carbs, as well as for others with special dietary needs.

Use this chart as a general guideline for higher vs lower carb foods. Please work with your practitioner.



Increases Amylase (Increases the “firing rate” of your “carb” cannons.)

Foods containing citric acid have been shown to increase your production of amylase, which helps break down starch carbohydrates. Using the fort analogy, these foods increase the “firing rate” of the “cannons”

- Sundried tomatoes
- Lemon
- Limes
- Passionfruit pulp
- Raspberries
- Pomegranate seeds
- Tomato paste
- Apricots
- Guava
- Tangelo
- Grapefruit
- Oranges
- Pineapple
- Mandarin
- Tamarillo

Note: Citric acid foods can boost carb digestion, but not all foods containing citric acid are right for everyone. For example, tomato paste (a nightshade) may worsen joint pain for certain individuals, and grapefruit may interact with certain medications.


Work with your practitioner to find the best choices for you.

Decreases Amylase (Lowers the “firing rate” of your “carb” cannons.)

Whilst salivary amylase can be increased, several plants contain polyphenols that may inhibit or decrease salivary amylase and affect carbohydrate metabolism

- | Berries | Vegetables | Vegetables | Drinks |
|-----------------|-------------------|-------------------|---------------|
| • Strawberries | • Pumpkin | • Eggplant | • Black tea |
| • Blueberries | • Beans | • Red cabbage | • Red wine |
| • Blackcurrants | • Corn | | |

Note: This doesn't mean these foods must be avoided, just that they can inhibit carb digestion. If you do choose to consume them, ideally do so after eating other carbs or eating them separately. You can also boost your amylase with quick fixes mentioned earlier, like chewing more, eating bitters first, timing your exercise before the most carb-heavy meal, and savoring your food.

 **Also note that smoking reduces amylase.**

Additional ways to support digestion

Habits

- Manage stress, lower cortisol levels
- Chew thoroughly to boost amylase
- Avoid smoking

Sleep

- Aim for 7–9 hours quality sleep
- Prioritize consistent nightly rest
- Aim for restorative deep sleep

Exercise

- Exercise can increase amylase levels by up to 500%.
- Ideally, plan your highest-carb meal within 2 hours of exercise.
- Some athletes may require extra carbs

Hydration

- Stay hydrated
- Aim for half body weight in ounces, more if you do a lot of activity, in high heat, humidity, or altitude.

Work with your practitioner to find what works best for you

Digestive Support



- Bitters
- Pancreatic enzymes

Supporting Carb Metabolism and Sugar Cravings

- | | | |
|-------------|------------------|--------------------|
| • Inositol | • Cinnamon | • Manganese |
| • Gymnema | • Banaba extract | • Magnesium |
| • Kudzu | • Zinc | • American Ginseng |
| • Fenugreek | • Vanadium | |
| • Berberine | • Chromium | |



Resistant Starch



- Green banana powder
- Arabinogalactan powder





Exercise



Research has shown that you can increase amylase with many types of exercise. Examples include cycling at 70% VO₂ max for at least 20-30 minutes (Koibuchi and Suzuki. 2014) and high-intensity interval training (Kobayashi and Koibuchi et al. 2024).

Exercise can be a key tool to temporarily increase salivary amylase for up to 2.5 hours post-exercise (Walsh et al. 1999), assisting in carbohydrate breakdown.



Practical Applications:

- Exercise protocols are best customized to you under direct supervision from a healthcare professional to fit your specific needs: such as your biomechanics, exercise history, mobility, personal physique, structural capacity/limitations, athletic goals, & other factors.
- If you haven't exercised in the past six months or take prescription medication, it is advisable to seek medical advice before commencing any exercise program, especially one that involves higher intensity levels. It is important to build up to these types of workouts and ensure you have had the appropriate pre-exercise screening.



Additional Genetic* Considerations for exercise:

- **Speed vs. Endurance:** The ACTN3 gene helps determine which type of exercise you perform best at, as it determines whether you are a predominantly fast-, intermediate-, or slow-twitch fiber type.
- **VO₂ Max & Aerobic Capacity:** Several genes significantly influence the maximum amount of oxygen your body can use during intense exercise.
- **Injury Risk:** Certain genes significantly influence how protective your collagen is from soft tissue injuries, while others influence inflammation control which can affect the risk of muscle injury.



*These additional genes are available in the "Fitgenes Genetic Blueprint" under the section: Optimal Exercise & Recovery/ActiveChoice™.

Key Terms

GENES & ENZYMES

- **AMY1 Gene** – A gene that produces amylase.
- **Copy Number** – The number of copies of a gene
- **Amylase** – An enzyme in your saliva that works like scissors, cutting starch into smaller sugars your body can use for energy.

CARBOHYDRATES & STARCH

- **Carbohydrates (Carbs)** – Foods made of sugar units. Carbs are not bad — they give your body important energy. But different types of carbs (starch, sugar, fiber) act differently in your body.
- **Starch** – A type of carbohydrate made of long chains of simple sugars. There are different types of starches:
 - **Little to no Starch Foods** – Foods with little or no starch (like leafy greens, cucumbers, peppers).
 - **Low-Starch Foods** – Foods with smaller amounts of starch that digest slowly (like beans, berries, sour fruits, and non-starchy veggies).
 - **High-Starch Foods/Low-resistant carbohydrates** – Foods with a lot of starch that digest quickly (like white bread, rice, pasta, potatoes).
 - **Resistant Starch/High-resistant carbohydrates** – A special type of starch that resists digestion, acts like fiber, and supports gut health (e.g., green bananas, cooled potatoes, oats).

DIGESTION & TOLERANCE

- **Carb Breakdown** – How well your body digests starch into sugar using amylase.
- **Carb Tolerance** – How much starchy food your body can handle without storing too much as fat.
- **Carb-Suppressing Foods** – Foods (like berries, alcohol, and tea) that can slow down carb digestion.
- **CarbChoice® Score** – Your personal number (1–20) showing how well your body breaks down starch.
- **Finger Rule** – A simple guide for portion size: your CarbChoice® score equals how many “fingers” of starchy foods you can have at a meal, based on your own finger size.

HEALTH & WEIGHT

- **BMI (Body Mass Index)** – A measure of body fat based on your height and weight.
- **Obesity** – A condition where excess body fat may increase the risk of disease.
- **Inflammation** – Swelling or irritation in the body that can happen when starch isn't broken down well or with unhealthy weight gain.
- **Portion Size** – The amount of food you eat at one time.

References & Disclaimers

Scientific studies have shown that variations in the human salivary amylase gene (AMY1) differ based on populations that have traditionally eaten high starch diets, compared to those who have traditionally eaten low starch diets (Perry et al. 2007). Copy number variations within the AMY1 gene impact salivary amylase activity (Yang et al. 2015; Santos et al. 2012), which influences how well the body breaks down and processes starch. Copy number variations and amylase activity can also impact the oral perception of starch leading to nutritional differences (Mandel et al. 2010). Simply, some people can process starchy carbohydrates better than others, and this can impact their nutrition, dietary choices, and health. Amylase activity, and the ability to process starch, has been demonstrated to have an impact on Body Mass Index (BMI) (Bonfond et al. 2017) and hence AMY1 copy number can have an impact on the related issues of BMI, obesity, and weight management (Falchi et al. 2014; Mejía-Benítez et al. 2015; Viljakainen et al. 2015; Marcovecchio et al. 2016). Low amylase individuals may even be at greater risk of insulin resistance and diabetes if they maintain a high starch diet (Mandel and Breslin 2012).

References:

- Bonfond et al. 2017, Relationship between salivary/pancreatic amylase and body mass index: a systems biology approach, BMC Medicine (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5322607/>)
- Falchi et al. 2014, Low copy number of the salivary amylase gene predisposes to obesity, Nature Genetics (<https://www.ncbi.nlm.nih.gov/pubmed/24686848/>)
- Lovegrove et al. 2017, Role of polysaccharides in food, digestion, and health, Critical Reviews in Food Science and Nutrition (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5152545/>)
- Koibuchi and Suzuki. 2014, Exercise upregulates salivary amylase in humans (Review), Experimental and Therapeutic Medicine (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3961115/>)
- Kobayashi and Koibuchi et al. 2024, Influence of AMY1 gene copy number on salivary amylase activity changes induced by exercise in young adults, Physiological Reports (<https://physoc.onlinelibrary.wiley.com/doi/full/10.14814/phy2.70099>)
- Mandel and Breslin. 2012, High Endogenous Salivary Amylase Activity Is Associated with Improved Glycemic Homeostasis following Starch Ingestion in Adults, Journal of Nutrition (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3327743/>)
- Mandel et al. 2010, Individual Differences in AMY1 Gene Copy Number, Salivary α -Amylase Levels, and the Perception of Oral Starch, PLoS One (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2954178/>)
- Marcovecchio et al. 2016, Low AMY1 Gene Copy Number Is Associated with Increased Body Mass Index in Prepubertal Boys, PLoS One (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4858278/>)
- Mejía-Benítez et al. 2015, Beneficial effect of a high number of copies of salivary amylase AMY1 gene on obesity risk in Mexican children, Diabetologia (<https://www.ncbi.nlm.nih.gov/pubmed/25394825/>)
- Oh et al. 2023, Low-carbohydrate diet, StatPearls (<https://pubmed.ncbi.nlm.nih.gov/30725769/>)
- Perry et al. 2007, Diet and the evolution of human amylase gene copy number variation, Nat Genetics (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2377015/>)
- Samaha et al. 2013, A low-carbohydrate as compared with a low-fat diet in severe obesity, New England Journal of Medicine (<https://www.ncbi.nlm.nih.gov/pubmed/12761364/>)
- Santos et al. 2012, Copy number polymorphism of the salivary amylase gene: implications in human nutrition research, Journal of Nutrigenetics and Nutrigenomics (<https://www.ncbi.nlm.nih.gov/pubmed/22965187/>)
- Viljakainen et al. 2015, Low Copy Number of the AMY1 Locus Is Associated with Early-Onset Female Obesity in Finland, PLoS One (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4489572/>)
- Walsh et al. 1999, The effects of high-intensity intermittent exercise on saliva IgA, total protein, and Alpha-amylase, Journal of Sports Science (<https://pubmed.ncbi.nlm.nih.gov/10069269/>)
- Yang et al. 2015, The roles of AMY1 copies and protein expression in human salivary α -amylase activity, Physiology & Behaviour (<https://www.ncbi.nlm.nih.gov/pubmed/25446200/>)



The information provided here is for informational purposes only and research purposes only. This information is NOT intended as a substitute for the advice provided by your qualified practitioner or other healthcare professional, or any information contained on or in any product label or packaging.

By reading this report, you acknowledge and agree that the field of genetics is subject to continuous development and evolution. New insights, knowledge, and recommendations may emerge over time. You further acknowledge and agree that the content of this report is based on the best available knowledge and understanding at the time of its creation. You understand that the report content may not encompass subsequent developments in the field. As such, no representations or warranties, express or implied, are made regarding the completeness or currency of the report content in light of future developments in the field of genetics.

Do not use the information provided in this report for diagnosing or treating a health problem or disease, or prescribing medication or other treatment. Always consult with your qualified practitioner or other healthcare professional before taking any medication, supplement, herbal product, or making any lifestyle changes, or following any recommendations for health or wellness issues.

If you have, or suspect you have, a medical problem, contact your healthcare provider promptly. Please don't ignore professional medical advice or delay in seeking professional advice because of something you have read in this report. Information provided in this report and the use of any products or services mentioned are for information and educational purposes only.

Information and statements regarding dietary supplements have not been evaluated by the Food and Drug Administration and are not intended to diagnose, treat, cure, or prevent any disease.

The information in this report reflects research to date on the relevance of Copy Number Variation (CNV) in the AMY1 gene. Genetic research is rapidly advancing, and our understanding of AMY1 CNV will continue to evolve, so the content of future reports may differ from this one. Information in this report may be updated in future reports without notice.

Research has indicated a correlation between AMY1 copy number variation (represented here as your "CarbChoice® number") and the production of salivary amylase and, hence, the ability to break down starchy carbohydrates. This report, therefore, outlines the potential impact of CarbChoice® number on general health and fitness and provides intervention suggestions that may be helpful. However, many factors influence your weight management and sports performance, including lifestyle, environmental factors, and additional genetic factors, which are not included in this report.

People with special dietary considerations or health conditions, such as allergies or intolerances, should seek advice from a qualified health practitioner before undertaking this test. Additionally, caloric and macronutrient ratios may vary depending on multiple factors, including levels of exercise, metabolic conditions, age, medical necessity, food availability, seasons, and other factors. The information provided here on CarbChoice® is just one variable to consider in relation to your caloric intake and/or macronutrient profile. Please work with your practitioner and/or health care professional to account for all other factors as well.

External Links Disclaimer: This report may contain links to Websites operated by other parties. Such links are provided for your convenience and reference only. We are not responsible for the content or products of any linked site or any link contained in a linked site.

Full Disclosure: If you happen to purchase anything recommended in this or any of the other communications, it's possible there will be an affiliate compensation. Products or services recommended have been researched for their relevance and usefulness to the topics covered in the genetics report. Not all products or services may be available in your area.

For a list of major references, please visit: www.fitgenes.com/references